

Urgent Care Minor Report Correction Add-On Test Order Form

MRC INSTRUCTIONS - MANDATORY**PAGE 1**

1. Fill in requestor's first and last name in field 1.
2. Fill in the patient name in field 2 exactly as it appears in on the final report.
3. Fill in patient's date of birth (DOB) in field 3.
4. Fill in the appropriate lab accession number in field 4 (lab accession number found in top right of results).
5. Fill in the appropriate phone number for the patient in field 5.
6. Choose whether this is an add-on, replacement, or deletion of order in field 6.
7. Choose a panel, then the swab site in field. You may only choose one whole panel.

PAGE 3

1. Update ICD code as necessary in field 7.
2. Print ordering provider's name in field 8.
3. Ordering provider must leave a signature in field 9.
4. Fill out the date in field 10.
5. Submit paperwork to HealthTrack via fax at (940) 222-2702, or via email at mrcsubmission@healthtrackrx.com

THE FOLLOWING FIELDS MUST BE FILLED OUT BEFORE SUBMITTING PAPERWORK

I, **1** request that the following information be corrected and/or tests (listed below) be added to the previously submitted sample. This is to serve as a correction and/or as an addendum to the originally submitted requisition and to each of the previous test orders originally submitted.

Patient Name (as it appears on the final report): **2**

Patient DOB (as it appears on the final report): **3** **Lab Accession Number:** **4**

Phone Number **5**

Please update the following tests to this sample: ☐ Add-On ☐ Replace ☐ Delete

Orders must be specifically listed by the whole panel you wish to have changed.

**Signature of the ordering provider is REQUIRED for updating test orders

BY PROVIDING A MOBILE NUMBER, THE PATIENT CONSENTS TO RECEIVE TEXT MESSAGES FROM HEALTHTRACK. MESSAGE AND DATA RATES MAY APPLY. CONSENT IS NOT REQUIRED FOR SERVICE. PATIENTS MAY OPT-OUT UPON RECEIPT OF FIRST NOTIFICATION. VISIT WWW.HEALTHTRACKRX.COM/ONLINE-PRIVACY-POLICY.

■ RESPIRATORY TRACT INFECTION	Sample Type: ☐ Nasopharyngeal/Nares ☐ Oropharynx/Throat/Oral ☐ Cough Sputum	WHITE TUBE	
- Adenovirus - Bordetella pertussis, parapertussis, bronchiseptica - Chlamydia pneumoniae	- Coronaviruses (229E, NL63, HKU1, OC43) - COVID-19 Coronavirus (SARS-CoV-2) - Enterovirus D68	- Human metapneumovirus - Influenza virus A, B - Mycoplasma pneumoniae	- Parainfluenza virus (types 1, 2, 3, 4) - Respiratory syncytial virus - Rhinovirus/Enterovirus
PANEL CODES INCLUDE PATHOGENS ABOVE AND ADDITIONAL PATHOGENS LISTED BELOW. ORDER USING ONLY THE CODE BELOW; IT INCLUDES THE BASE PANEL AND THE ADDITIONAL PATHOGENS LISTED.			
■ RTI - PERSISTENT	Haemophilus influenzae	Moraxella catarrhalis	Streptococcus pneumoniae
■ RTI - ATYPICAL PHARYNGITIS	Sample Type: Oropharynx/Throat/Oral ONLY		
	Epstein-Barr Virus (Human Herpesvirus 4)	Fusobacterium nucleatum, necrophorum	Streptococcus dysgalactiae (Group C/G Strep)

■ PHARYNGITIS	Sample Type: ☐ Oropharynx/Throat/Oral	WHITE TUBE	
- Adenovirus - Chlamydia pneumoniae - Coronaviruses (229E, NL63, HKU1, OC43)	- COVID-19 Coronavirus (SARS-CoV-2) - Enterovirus D68 - Human metapneumovirus	- Influenza virus A, B - Mycoplasma pneumoniae - Parainfluenza virus (types 1, 2, 3, 4)	- Respiratory syncytial virus - Rhinovirus/Enterovirus - Streptococcus pyogenes (Group A Strep)
PANEL CODES INCLUDE PATHOGENS ABOVE AND ADDITIONAL PATHOGENS LISTED BELOW. ORDER USING ONLY THE CODE BELOW; IT INCLUDES THE BASE PANEL AND THE ADDITIONAL PATHOGENS LISTED.			
■ PHARYNGITIS - PERSISTENT	Epstein-Barr Virus (Human Herpesvirus 4)	Fusobacterium nucleatum, necrophorum	Streptococcus dysgalactiae (Group C/G Strep)

■ FLU, COVID, RSV	Sample Type: ☐ Nasopharyngeal/Nares	WHITE TUBE
COVID-19 Coronavirus (SARS-CoV-2)	Influenza virus A,B	Respiratory syncytial virus

■ MEASLES	Sample Type: ☐ Nasopharyngeal/Nares ☐ Oropharynx/Throat/Oral	WHITE TUBE
Measles		

■ URINARY TRACT INFECTION	Sample Type: ☐ Urine (voided) ☐ Urine (catheter)	WHITE TUBE	
- Acinetobacter baumannii - Candida albicans, parapsilosis, tropicalis - Candida glabrata (Nakaseomyces glabratus) - Candida krusei (Pichia kudriavzevii) - Citrobacter freundii - Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes - Enterococcus faecalis, faecium	- Escherichia coli - Klebsiella pneumoniae, oxytoca - Morganella morganii - Proteus mirabilis, vulgaris - Pseudomonas aeruginosa - Serratia marcescens - Staphylococcus aureus	- Staphylococcus epidermidis, haemolyticus, lugdunensis - Staphylococcus saprophyticus - Streptococcus agalactiae (Group B Strep) Resistance Genes ACT, MIR, FOX, ACC Groups CTX-M Groups	- dfr (A1, A5), sul(1, 2) - ermA, B, C; mefA - IMP, NDM, VIM Groups - mecA (Methicillin Resistance) - OXA Groups - qnrA, qnrB - SHV, KPC Groups - tet B, tet M - VanA, VanB
PANEL CODES INCLUDE PATHOGENS ABOVE AND ADDITIONAL PATHOGENS LISTED BELOW. ORDER USING ONLY THE CODE BELOW; IT INCLUDES THE BASE PANEL AND THE ADDITIONAL PATHOGENS LISTED.			
■ UTI + STI COMBINED	- Chlamydia trachomatis - Mycoplasma genitalium	Neisseria gonorrhoeae	Trichomonas vaginalis
■ UTI + STI - ATYPICAL (MYCOPLASMA/ UREAPLASMA)	- Mycoplasma hominis - Ureaplasma parvum	Ureaplasma urealyticum	

Urgent Care Minor Report Correction Add-On Test Order Form

VAGINITIS	Sample Type: ☐ Vaginal	WHITE TUBE
- BVAB2,3 (Bacterial vaginosis-associated bacteria 2,3); Mobiluncus spp - Candida glabrata (Nakaseomyces glabratus) - Fannyhessea (Atopobium) vaginae - Mycoplasma genitalium - Candida albicans, parapsilosis, tropicalis - Candida krusei (Pichia kudriavzevii) - Gardnerella vaginalis - Neisseria gonorrhoeae - Chlamydia trachomatis - Megasphaera (types 1, 2) - Trichomonas vaginalis		
PANEL CODES INCLUDE PATHOGENS ABOVE AND ADDITIONAL PATHOGENS LISTED BELOW. ORDER USING ONLY THE CODE BELOW; IT INCLUDES THE BASE PANEL AND THE ADDITIONAL PATHOGENS LISTED.		
VAGINITIS - RECURRENT	- Herpes simplex virus 1 - Herpes simplex virus 2	- Mycoplasma hominis - Ureaplasma parvum - Ureaplasma urealyticum

CHLAMYDIA / GONORRHEA / TRICHOMONAS (CGT)	Sample Type: ☐ Urine (voided) ☐ Vaginal ☐ Rectal	WHITE TUBE
- Chlamydia trachomatis - Neisseria gonorrhoeae - Trichomonas vaginalis		

URETHRITIS/CERVICITIS	Sample Type: ☐ Cervical/Vaginal/Cervicovaginal/Endometrial ☐ Urine ☐ Internal Urethra	WHITE TUBE
- Chlamydia trachomatis - Herpes simplex virus 1 - Herpes simplex virus 2 - Mycoplasma genitalium - Mycoplasma hominis - Neisseria gonorrhoeae - Trichomonas vaginalis - Ureaplasma parvum - Ureaplasma urealyticum		

GENITAL LESION	Sample Type: ☐ Genital Ulcer/Lesion ☐ Ulcer/Lesion	WHITE TUBE
- Chlamydia trachomatis - Herpes simplex virus 1 - Herpes simplex virus 2 - Haemophilus ducreyi (Chancroid) - Mpox (Monkeypox) - Treponema pallidum (Syphilis)		

DIARRHEAL INFECTION	Sample Type: ☐ Rectal (fecal) ☐ Stool	WHITE TUBE
- Adenovirus F40/41 - Astrovirus - Campylobacter coli, jejuni, upsaliensis - Enteroinvasive E. coli (EIEC) / Shigella spp - Enteropathogenic E. coli (EPEC) - Enterotoxigenic E. coli (ETEC) - Norovirus (Genogroup 1, 2) - Rotavirus A - Salmonella - Sapovirus - Shiga toxin-producing E. coli (STEC) - Shiga toxin-producing E. coli O157 (STEC O157) - Vibrio cholerae, parahaemolyticus, vulnificus - Yersinia enterocolitica		
PANEL CODES INCLUDE PATHOGENS ABOVE AND ADDITIONAL PATHOGENS LISTED BELOW. ORDER USING ONLY THE CODE BELOW; IT INCLUDES THE BASE PANEL AND THE ADDITIONAL PATHOGENS LISTED.		
DI + C. DIFF	Clostridioides difficile (toxins A,B)	
DI + PARASITES	- Cryptosporidium - Cyclospora cayetanensis - Dientamoeba fragilis - Entamoeba histolytica - Giardia lamblia (intestinalis) - Microsporidium (Enterocytozoon bienersi, Encephalitozoon intestinalis)	

WOUND	Sample Type: Wound Location:	WHITE TUBE
- Bacteroides fragilis, Phocaeicola vulgatus - Candida albicans, glabrata, parapsilosis, tropicalis - Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes - Escherichia coli - Herpes simplex virus 1 - Herpes simplex virus 2 - Klebsiella pneumoniae, oxytoca - Proteus mirabilis, vulgaris - Pseudomonas aeruginosa - Serratia marcescens - Staphylococcus aureus - Streptococcus agalactiae (Group B Strep) - Streptococcus pyogenes (Group A Strep) - Varicella zoster virus (Human Herpesvirus 3, VZV) - Vibrio cholerae, parahaemolyticus, vulnificus - Resistance Genes: ACT, MIR, FOX, ACC Groups CTX-M Groups dfr (A1, A5), sul (1, 2) - ermA, B, C; mefA IMP, NDM, VIM Groups mecA (Methicillin Resistance) OXA Groups qnrA, qnrB SHV, KPC Groups tet B, tet M VanA, VanB		

BLISTERING LESION	Sample Type: Wound Location:	WHITE TUBE
- Herpes simplex virus 1 - Herpes simplex virus 2 - Staphylococcus aureus - Streptococcus pyogenes (Group A Strep) - Varicella zoster virus (Human Herpesvirus 3, VZV) - Resistance Genes: mecA (Methicillin Resistance)		

Urgent Care Minor Report Correction Add-On Test Order Form

SENIOR 65+

■ FLU, COVID, RSV	Sample Type: ☐ Nasopharyngeal/Nares	WHITE TUBE
• COVID-19 Coronavirus (SARS-CoV-2) • Influenza virus A,B • Respiratory syncytial virus		

■ VAGINITIS	Sample Type: ☐ Vaginal	GREEN TUBE
• Bacterial Vaginosis • Candida albicans, parapsilosis, tropicalis, dubliniensis • Candida glabrata (Nakaseomyces glabratus) • Trichomonas vaginalis • Candida krusei (Pichia kudriavzevii)		
PANEL CODES INCLUDE PATHOGENS ABOVE AND ADDITIONAL PATHOGENS LISTED BELOW. ORDER USING ONLY THE CODE BELOW; IT INCLUDES THE BASE PANEL AND THE ADDITIONAL PATHOGENS LISTED.		
■ VAGINITIS + CG	• Chlamydia trachomatis • Neisseria gonorrhoeae	

■ CHLAMYDIA / GONORRHEA / TRICHOMONAS (CGT)	Sample Type: ☐ Urine (voided) ☐ Vaginal	YELLOW TUBE	GREEN TUBE
• Chlamydia trachomatis • Neisseria gonorrhoeae • Trichomonas vaginalis			

■ CHLAMYDIA / GONORRHEA (CG)	Sample Type: ☐ Urine (voided) ☐ Vaginal ☐ Rectal ☐ Oral	YELLOW TUBE	GREEN TUBE
• Chlamydia trachomatis • Neisseria gonorrhoeae			

Updated Diagnosis Code(s):

7

Ordering Provider Name (printed):

8

Ordering Provider Name (Signed, stamp signature not accepted):

9

Date:

10

****Signature of the ordering provider is REQUIRED for updating test orders SUBMIT TO CUSTOMER CARE AT:
FAX TO: (940)-222-2702 or via EMAIL: mrcsubmission@healthtrackrx.com**