# IDENTIFYING INFECTIONS

## Syndromic Menu Ordering Reference Guide

### Women's Health

WHITE

# Genitourinary

## Urinary Tract Infection UTI

**SPECIMEN TYPES:** *Urine (voided), Urine (catheter)*

**COMMON SIGNS & SYMPTOMS:** Dysuria, hematuria, urgency of urination, frequency of micturition, or pain of micturition.

**Bacterial**
Acinetobacter baumannii
Citrobacter freundii
Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes
Enterococcus faecalis, faecium
Escherichia coli
Klebsiella pneumoniae, oxytoca
Morganella morganii
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa
Serratia marcescens
Staphylococcus aureus
Staphylococcus epidermidis, haemolyticus, lugdunensis
Staphylococcus saprophyticus
Streptococcus agalactiae (Group B Strep)

**Fungal**
Candida albicans, parapsilosis, tropicalis
Candida glabrata (Nakaseomyces glabratus)
Candida krusei (Pichia kudriavzevii)

**Resistance**
ACT, MIR, FOX, ACC Groups
CTX-M Groups
dfr (A1, A5), sul (1, 2)
ermA, B, C; mefA
IMP, NDM, VIM Groups
mecA (Methicillin Resistance)
OXA Groups
qnrA, qnrB
SHV, KPC Groups
tet B, tet M
VanA, VanB

**ADD-ONS:** Panel codes include pathogens above and additional pathogens listed below. Order using only the code below; it includes the base panel and the additional pathogens listed.

**UTISTI** **UTI + STI Combined** Chlamydia trachomatis, Mycoplasma genitalium, Neisseria gonorrhoeae, Trichomonas vaginalis

**UTISTIMU** **UTI + STI – Atypical (Mycoplasma/Ureaplasma)** Mycoplasma hominis, Ureaplasma parvum, Ureaplasma urealyticum

## Genital Lesion GENL

**SPECIMEN TYPES:** *Genital Ulcer/Lesion, Ulcer/lesion*

**COMMON SIGNS & SYMPTOMS:** Genital ulcer or lesion.

**Bacterial**
Chlamydia trachomatis
Haemophilus ducreyi (Chancroid)
Treponema pallidum (Syphilis)

**Viral**
Herpes simplex virus 1
Herpes simplex virus 2
Mpox (Monkeypox)

## Pelvic Inflammatory Disease PID

**SPECIMEN TYPES:** *Cervical/Vaginal/Cervicovaginal/Endometrial*

**COMMON SIGNS & SYMPTOMS:** Lower abdominal pain, abnormal vaginal bleeding, urinary frequency, and vaginal discharge.

**Bacterial**
Actinomyces israelii
Chlamydia trachomatis
Mycoplasma genitalium
Mycoplasma hominis
Neisseria gonorrhoeae
Treponema pallidum (Syphilis)

## Aerobic Vaginitis AEROVG

**SPECIMEN TYPES:** *Vaginal*

**COMMON SIGNS & SYMPTOMS:** Vaginal discharge, odor, burning, itching, and painful intercourse. Clinical concern of aerobic vaginitis.

**Bacterial**
Enterococcus faecalis, faecium
Escherichia coli
Staphylococcus aureus
Streptococcus agalactiae (Group B Strep)

**Resistance**
ACT, MIR, FOX, ACC Groups
CTX-M Groups
dfr (A1, A5), sul (1, 2)
IMP, NDM, VIM Groups
mecA (Methicillin Resistance)
OXA Groups
qnrA, qnrB
SHV, KPC Groups

## Urethritis/Cervicitis URE

**SPECIMEN TYPES:** *Urine, Internal Urethra* **SPECIMEN TYPES:** *Cervical/Vaginal/Cervicovaginal/Endometrial*

**COMMON SIGNS & SYMPTOMS:** Pain with urination, itching, burning, and discharge.

**Bacterial**
Chlamydia trachomatis
Mycoplasma genitalium
Mycoplasma hominis
Neisseria gonorrhoeae
Ureaplasma parvum
Ureaplasma urealyticum

**Viral**
Herpes simplex virus 1
Herpes simplex virus 2

**Protozoal**
Trichomonas vaginalis



© Copyright 2026 HealthTrackRx | SMORG-WH-v0926-V19-093026

October 2026

# IDENTIFYING INFECTIONS

## Syndromic Menu Ordering Reference Guide

### Women's Health

GREEN

## Vaginitis VAGGR

**SPECIMEN TYPES:** *Vaginal*

**COMMON SIGNS & SYMPTOMS:** Vaginal discharge, odor, itching, irritation, bacterial vaginosis, vulvovaginal candidiasis.

**Bacterial**
Bacterial Vaginosis
**Protozoal**
Trichomonas vaginalis

**Fungal**
Candida albicans, parapsilosis, tropicalis, dubliniensis
Candida glabrata (Nakaseomyces glabratus)
Candida krusei (Pichia kudriavzevii)

**ADD-ONS:** Panel codes include pathogens above and additional pathogens listed below. Order using only the code below; it includes the base panel and the additional pathogens listed.

**VAGGRAO** **Vaginitis + CG** Chlamydia trachomatis, Neisseria gonorrhoeae

YELLOW
GREEN

## Chlamydia/Gonorrhea/Trichomonas (CGT) CGTGY

**SPECIMEN TYPES:** *Urine (voided)* **SPECIMEN TYPES:** *Vaginal*

**COMMON SIGNS & SYMPTOMS:** High risk heterosexual behavior, high risk homosexual behavior, or suspected exposure to a sexually transmitted infection.

**Bacterial**
Chlamydia trachomatis
Neisseria gonorrhoeae

**Protozoal**
Trichomonas vaginalis

YELLOW
GREEN

## Chlamydia/Gonorrhea (CG) CGGY

**SPECIMEN TYPES:** *Urine (voided)* **SPECIMEN TYPES:** *Vaginal, Rectal, Oral*

**COMMON SIGNS & SYMPTOMS:** High risk heterosexual behavior, high risk homosexual behavior, or suspected exposure to a sexually transmitted infection.

**Bacterial**
Chlamydia trachomatis
Neisseria gonorrhoeae

GRAY

## Urine Culture UCULT

**SPECIMEN TYPES:** *Urine (voided), Urine (catheter)*

**COMMON SIGNS & SYMPTOMS:** Routine urine culture with reflex to antimicrobial susceptibility testing.

WHITE

# Respiratory

## Respiratory Tract Infection RTI

**SPECIMEN TYPES:** *Nasopharyngeal/Nares, Oropharynx/Throat/Oral, Cough Sputum*

**COMMON SIGNS & SYMPTOMS:** Upper or lower respiratory tract Infection, high-grade fever, acute cough, runny nose, pain in throat, wheezing, or nasal congestion.

**Bacterial**
Bordetella pertussis, parapertussis, bronchiseptica
Chlamydia pneumoniae
Mycoplasma pneumoniae

**Viral**
Adenovirus
Coronaviruses (229E, NL63, HKU1, OC43)
COVID-19 Coronavirus (SARS-CoV-2)
Enterovirus D68
Human metapneumovirus
Influenza virus A, B
Parainfluenza virus (types 1, 2, 3, 4)
Respiratory syncytial virus
Rhinovirus/Enterovirus

**ADD-ONS:** Panel codes include pathogens above and additional pathogens listed below. Order using only the code below; it includes the base panel and the additional pathogens listed.

**RTIPROAO** **RTI – Persistent** Haemophilus influenzae, Moraxella catarrhalis, Streptococcus pneumoniae

**RTITHRAO** **SPECIMEN TYPE:** *Oropharynx/Throat/Oral ONLY*
**RTI – Atypical Pharyngitis** Epstein-Barr Virus (Human Herpesvirus 4), Fusobacterium nucleatum, necrophorum, Streptococcus dysgalactiae (Group C/G Strep)



© Copyright 2026 HealthTrackRx | SMORG-WH-v0926-V19-093026

# IDENTIFYING INFECTIONS

## Syndromic Menu Ordering Reference Guide

### Women's Health

### Pharyngitis PHAR

**SPECIMEN TYPES:** *Oropharynx/Throat/Oral*

**COMMON SIGNS & SYMPTOMS:** Pain in throat, fever, pharyngeal edema, patchy tonsillar exudates, and tender/swollen anterior cervical lymph nodes.

**Bacterial**
Chlamydia pneumoniae
Mycoplasma pneumoniae
Streptococcus pyogenes (Group A Strep)

**Viral**
Adenovirus
Coronaviruses (229E, NL63, HKU1, OC43)
COVID-19 Coronavirus (SARS-CoV-2)
Enterovirus D68
Human metapneumovirus
Influenza virus A, B
Parainfluenza virus (types 1, 2, 3, 4)
Respiratory syncytial virus
Rhinovirus/Enterovirus

**ADD-ONS:** Panel codes include pathogens above and additional pathogens listed below. Order using only the code below; it includes the base panel and the additional pathogens listed.

**PHARRECAO** **Pharyngitis – Persistent** Epstein-Barr Virus (Human Herpesvirus 4), Fusobacterium nucleatum, necrophorum, Streptococcus dysgalactiae (Group C/G Strep)

### Flu,COVID,RSV FCRSV

**SPECIMEN TYPES:** Nasopharyngeal/Nares

**COMMON SIGNS & SYMPTOMS:** Acute upper respiratory tract Infection, high-grade fever, cough, runny nose, pain in throat, wheezing, nasal congestion, shortness of breath, malaise.

**Viral**
COVID-19 Coronavirus (SARS-CoV-2)
Influenza virus A, B
Respiratory syncytial virus

WHITE

## Specialty

### Diarrheal Infection DI

**SPECIMEN TYPES:** *Rectal (fecal), Stool*

**COMMON SIGNS & SYMPTOMS:** Infectious gastroenteritis with diarrhea, significant fever, and/or bloody stool.

**Bacterial**
Campylobacter coli, jejuni, upsaliensis
Enteroinvasive E. coli (EIEC) / Shigella spp
Enteropathogenic E. coli (EPEC)
Enterotoxigenic E. coli (ETEC)
Salmonella
Shiga toxin-producing E. coli (STEC)
Shiga toxin-producing E. coli O157 (STEC O157)
Vibrio cholerae, parahaemolyticus, vulnificus
Yersinia enterocolitica

**Viral**
Adenovirus F40/41
Astrovirus
Norovirus (Genogroup 1, 2)
Rotavirus A
Sapovirus

**ADD-ONS:** Panel codes include pathogens above and additional pathogens listed below. Order using only the code below; it includes the base panel and the additional pathogens listed.

**DICDIF** **DI + C. Diff** Clostridioides difficile (toxins A, B)

**DIPAR** **DI + Parasites** Cryptosporidium, Cyclospora cayetanensis, Dientamoeba fragilis, Entamoeba histolytica, Giardia lamblia (intestinalis), Microsporidium (Enterocytozoon bieneusi, Encephalitozoon intestinalis)

### Wound WUN

**SWAB SITES:** *Wound Swabs (all locations)*

**COMMON SIGNS & SYMPTOMS:** Recent wound from trauma with erythema, edema, heat, purulent exudate, and/or pain.

**Bacterial**
Bacteroides fragilis, Phocaeicola vulgatus
Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes
Escherichia coli
Klebsiella pneumoniae, oxytoca
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa
Serratia marcescens
Staphylococcus aureus
Streptococcus agalactiae (Group B Strep)
Streptococcus pyogenes (Group A Strep)
Vibrio cholerae, parahaemolyticus, vulnificus

**Viral**
Herpes simplex virus 1
Herpes simplex virus 2
Varicella zoster virus (Human Herpesvirus 3, VZV)

**Fungal**
Candida albicans, glabrata, parapsilosis, tropicalis

**Resistance**
ACT, MIR, FOX, ACC Groups
CTX-M Groups
dfr (A1, A5), sul (1, 2)
ermA, B, C; mefA
IMP, NDM, VIM Groups
mecA (Methicillin Resistance)
OXA Groups
qnrA, qnrB
SHV, KPC Groups
tet B, tet M
VanA, VanB

### Blistering Lesion BL

**SWAB SITES:** *Wound Swabs (all locations)*

**COMMON SIGNS & SYMPTOMS:** Fluid-filled lesions on the skin.

**Bacterial**
Staphylococcus aureus
Streptococcus pyogenes (Group A Strep)

**Viral**
Herpes simplex virus 1
Herpes simplex virus 2
Varicella zoster virus (Human Herpesvirus 3, VZV)

**Resistance**
mecA (Methicillin Resistance)



© Copyright 2026 HealthTrackRx | SMORG-WH-v0926-V19-093026

October 2026

# IDENTIFYING INFECTIONS

## Syndromic Menu Ordering Reference Guide

### Women's Health

## For Patients with Medicare and Medicare Advantage Plans

### Vaginitis VAGGR

GREEN

**SPECIMEN TYPES:** *Vaginal*

**COMMON SIGNS & SYMPTOMS:** Vaginal discharge, odor, itching, irritation, bacterial vaginosis, vulvovaginal candidiasis.

**Bacterial**
Bacterial Vaginosis
**Protozoal**
Trichomonas vaginalis

**Fungal**
Candida albicans, parapsilosis, tropicalis, dubliniensis
Candida glabrata (Nakaseomyces glabratus)
Candida krusei (Pichia kudriavzevii)

**ADD-ONS:** Panel codes include pathogens above and additional pathogens listed below. Order using only the code below; it includes the base panel and the additional pathogens listed.

VAGGRAO **Vaginitis + CG** Chlamydia trachomatis, Neisseria gonorrhoeae

### Chlamydia/Gonorrhea/Trichomonas (CGT) CGTGY

YELLOW

**SPECIMEN TYPES:** *Urine (voided)*

GREEN

**SPECIMEN TYPES:** *Vaginal*

**COMMON SIGNS & SYMPTOMS:** High risk heterosexual behavior, high risk homosexual behavior, or suspected exposure to a sexually transmitted infection.

**Bacterial**
Chlamydia trachomatis
Neisseria gonorrhoeae

**Protozoal**
Trichomonas vaginalis

### Chlamydia/Gonorrhea (CG) CGGY

YELLOW

**SPECIMEN TYPES:** *Urine (voided)*

GREEN

**SPECIMEN TYPES:** *Vaginal, Rectal, Oral*

**COMMON SIGNS & SYMPTOMS:** High risk heterosexual behavior, high risk homosexual behavior, or suspected exposure to a sexually transmitted infection.

**Bacterial**
Chlamydia trachomatis
Neisseria gonorrhoeae

### Urine Culture UCULT

GRAY

**SPECIMEN TYPES:** *Urine (voided), Urine (catheter)*

**COMMON SIGNS & SYMPTOMS:** Routine urine culture with reflex to antimicrobial susceptibility testing.

### Flu,COVID,RSV FCRSV

WHITE

**SPECIMEN TYPES:** Nasopharyngeal/Nares

**COMMON SIGNS & SYMPTOMS:** Acute upper respiratory tract Infection, high-grade fever, cough, runny nose, pain in throat, wheezing, nasal congestion, shortness of breath, malaise.

**Viral**
COVID-19 Coronavirus (SARS-CoV-2)
Influenza virus A, B
Respiratory syncytial virus



© Copyright 2026 HealthTrackRx | SMORG-WH-v0926-V19-093026